

# CITA Smart 150 DC

## Super-Fast Commercial Charging Solution



CITA Smart 150 DC is a fast, efficient and reliable charger meeting the highest standards for new electric vehicle charging. Its modular design allows you to charge up to two electric vehicles simultaneously up to 150kW output. It comes with dual or triple charging connectors, including two AC connector: Type 2, up to 22kW, and Two DC connectors: CCS1/CCS2 and CHAdeMO up to 150kW. (Connector requirements need to be specified upon placing the order)

It connects intelligently with Ethernet/4G SIM. It can be operated with a commercial mobile application supporting Apple Pay, Google Pay and other leading Credit Card payment methods. You can also command it with RFID authentication. It also comes with a MID certified AC meter and PTB certified DC meter. CITA Smart 150 DC comes with two years warranty.



**Efficient Charging  
with Load Balancing**



**Up to 150kW DC &  
2 x 22kW AC (optional)**



**Up to Two DC Guns CCS2/CHAdeM  
/GB/T & Two AC Type 2 Socket (optional)  
for simultaneously charging**



**CITA Smart EV App Operation  
via 4G/Ethernet**



**42" Commercial Advertising  
Display with RMS**



**RFID Card and Mobile Payments**



**2 year warranty**



# Electrical Specifications



## AC Nominal Input

Phases/Lines	3 phase + natural+ PE
Rated Voltage	400V±%10 AC
Rated Current	150A
PF	>0.99
Frequency	60/50Hz

## DC Nominal Output

Output Voltage	1000~400V DC
Maximum Current	200A Max
Rated Power	60kW

# General Specifications

## Structure Design

Charge Connector	DC 1 x CCS2 and 1 x CHAdeMO (alternatively 2 x CCS2) Optional: 2 X AC Type 2 socket
Cable Length	5M
Enclosure	Galvanized steel
LED Indicator	Green/Yellow/Red
LCD Display	10" color touch screen
RFID Reader	Mifare ISO/IEC 14443 A
Start Mode	Plug&Play/RFID card/Mobile App
Emergency Stop	Yes
Advertising Display	42 inch Commercial Advertising Display (Optional)

## Environmental Index

Operating Temperature	-30°C - +55°C
Working Humidity	%95~%5 without condensation
Working Altitude	<2000M
Protection Grade	IP54, IK10
Installation	Floor-stand
Cooling Method	Fan cooling
Noise	≤55dB

## Package Information

Product Dimension	2000*525*900mm (W*D*H)
Package Dimension	2200*745*1200mm (L*W*H)
Net Weight	240kg
Gross Weight	280kg

## Electrical Parameter

Efficiency	≥%95
Power Factor	≥%100~%50 @ 0.99 loading
THD	≤%100~%50 @ %5 loading
Ripple Factor	≤±%0.5

## Security Protection

Energy Meter	PTB certified
RCD	Type A
Ingress Protection	IP54
Impact Protection	IK10
Electrical Protection	Over current protection, Residual current protection, Short circuit protection, Ground protection, Surge protection, Over/Under voltage protection, Over/Under frequency protection, Over/Under temperature protection
Certification	UKCA, CE
Certification Standard	EN61851, EN62196, DIN70121, ISO15118
Warranty	2 years

## Communication

Network Gateway	Ethernet/4G communication
Communication Protocol	OCPP 1.6 JSON (OCPP 2.0 optional)

## CITA Smart EV Charger Management System

CITA charger management system software lets you track, manage and optimize CITA Smart commercial chargers from wherever and whenever you please.

- Easy & Smart Management
- Analytics of your Business Growth
- Simple Invoicing System
- Scale your charging network easily
- Distribute available power with Dynamic Load Balancing and much more





#### **United Kingdom (HQ)**

52 Deerdyles View, Westfield Park, Cumbernauld,  
Glasgow, G9 68HN, United Kingdom  
Phone: 147 0800 CITA(2482)

#### **United Arab Emirates**

Unit 2106, Al Thanyah Fifth, HDS Tower, Cluster F,  
Jumeirah Lakes Towers, P.O. Box 191946, Dubai, UAE  
Phone: +5579828 4 971 Fax: +5579829 4 971

Disclaimer: Information has been carefully checked and is believed to be accurate; however, no responsibility is assumed for inaccuracies. The status of the product(s) described in the data sheet may have changed since the date of publication and therefore that may be outdated without further notifications. For any further inquiries please contact our nearest sales office via e-mail to [info@citaevcharger.co.uk](mailto:info@citaevcharger.co.uk) or through phone.